

Unit Price: Euro € 20900 CIF Abidjan

Payment: 30% Prepayment by TT and the balance before shipment.

Validity: 15 days

Delivery: 50 days after TT prepayment

SPECIFICATION:

Reference picture		
Type		13m 80T 3 axles low bed trailer
Parameter	Overall Dimensions (mm)	L×W×H:13,000×3,000×3,400(the height can be adjusted by the specification of tractor)
	Loading deck (mm)	8,765
	King pin setting (mm)	560
	Fifth wheel height (mm)	The height will be adjusted according to specification of tractor
	Axle space (mm)	8480mm+1310mm+1310mm
	Tare weight (kg)	Approx. 11,900
	Max. Payload (kg)	80,000
	Gross weight (kg)	919,900
Fabric	Main Beam(mm)	submerged arc welding
	Flange and Web(mm)	22/14/25mm
	Painting	Primer and top coat, polyurethane paint
Configuration	Tyre	LINGLONG brand, type: 13R22.5, equipped 12 pcs per chassis,
	Rim	Type:9.75-22.5, equipped 12 pcs per chassis
	Axle	FUWA brand 13T*3sets
	King pin	JOST, 90#
	Suspension	Mechanical suspension
	Landing gear	CIMC, 30T
	Brake system	Air brake, 30/30 type*2, T30*1 WABCO brake valve.
	ABS	Non
	Electric system	24V, LED lights.
	Tool box	1 set of steel box
	Spare tyre carrier	Equipped 1 set per chassis
	Color	By customer's requirement
Others	<ul style="list-style-type: none"> ● “LONG VEHICLE” sign on the rear end. ● LED lights, equip side turn light. ● Main beam: stick “CIMC QINGDAO” logo ● Mud flap: stick “CIMC ” ● Nameplate: English model 	

Note:

All the details not mentioned above should comply with Chinese regulations.

CIMC does not take any responsibility on the trailer's registration in the terminal country.



Reference drawing map:

